

## AMENDMENTS TO THE CLAIMS

1. (original): A method comprising:  
generating from a vehicle-based network server a browsable network document including vehicle system data from one or more vehicle systems;  
providing the browsable network document over a network to enable remote viewing of the vehicle system data.

2. (original): A method as recited in claim 1 further comprising collecting vehicle system data from one or more independent vehicle systems in a vehicle, each of the independent vehicle systems generating a distinct type of vehicle system data.

3. (original): A method as recited in claim 1 further comprising transmitting the network document over a network.

4. (original): A method as recited in claim 1 further comprising receiving a network request for the vehicle system data.

5. (original): A method as recited in claim 1 further comprising relating vehicle system data from a first independent vehicle system to vehicle system data from a second independent vehicle system, each of the first

1 independent vehicle system and the second independent vehicle system generating  
2 distinct vehicle system data.

3  
4 6. (original): A method as recited in claim 1 further comprising  
5 displaying a web page based on the browsable network document.

6  
7 7. (original): A method as recited in claim 1 wherein the generating  
8 step comprises generating a network document having an embedded object.

9  
10  
11 8. (original): A method as recited in claim 1 wherein the generating  
12 step comprises populating a mark-up language document with the vehicle system  
13 data.

14  
15 9. (original): A method as recited in claim 1 wherein the generating  
16 step comprises creating an active server pages web page.

17  
18  
19 10. (original): A method as recited in claim 2 wherein the collecting  
20 operation comprises gathering vehicle system data from at least one of an on-  
21 board diagnostic (OBD) system, a global positioning system (GPS), a vehicle  
22 video system, a vehicle security system, and an obstacle detection system.

11. (original): A method as recited in claim 10 further comprising using the OBD system data and the GPS data to generate a map including a mark at a geographic location where an OBD event occurred.

12. (original): A method as recited in claim 1 further comprising receiving vehicle system configuration information to configure one or more of the vehicle systems.

13. (original): A method as recited in claim 12 wherein the receiving operation comprises receiving at least one of vehicle user profile data, media data, vehicle diagnostics data, map data, and geographic information system data.

14. (original): A method as recited in claim 12 wherein the receiving operation comprises receiving the vehicle system configuration information from a remote client.

15. (original): A method as recited in claim 2 further comprising storing the vehicle system data in a relational database.

Claims 16-34 (cancelled).

1  
2  
3 35. (previously presented): A vehicle comprising:  
4 a web server operable to gather vehicle system data from one or more  
5 independent vehicle systems in the vehicle and generate a browsable network  
6 document including the vehicle system data.  
7

8  
9 36. (previously presented): A vehicle as recited in claim 35, wherein the  
10 web server comprises a network transmitter transmitting the browsable network  
11 document over a network.  
12

13 37. (previously presented): A vehicle as recited in claim 35, wherein the  
14 web server comprises a network receiver receiving a network request for a subset  
15 of the vehicle system data.  
16

17  
18 38. (previously presented): A vehicle as recited in claim 35, wherein the  
19 web server comprises processor-executable code that cause a processor to relate  
20 vehicle system data from a first vehicle system to vehicle system data from a  
21 second vehicle system.  
22

23 39. (previously presented): A vehicle as recited in claim 35, wherein the  
24 browsable network document comprises a hypertext markup language document.  
25

1  
2 40. (previously presented): A vehicle as recited in claim 35, wherein the  
3 browsable network document includes an embedded object.  
4

5 41. (previously presented): A vehicle as recited in claim 35 further  
6 comprising two or more of:

7 an on-board diagnostics (OBD) system;

8 a global positioning system (GPS);

9 a vehicle video source;

10 a vehicle security system; and

11 an obstacle detection system, wherein the OBD system, the GPS system,  
12 the vehicle video source, the vehicle security system, and the obstacle detection  
13 system are in communication with the web server.  
14  
15

16 42. (previously presented): A vehicle as recited in claim 35 further  
17 comprising a relational database storing data from the OBD system, the GPS  
18 system, the vehicle video source, the vehicle security system, and the obstacle  
19 detection system.  
20  
21

22 43. (previously presented): A vehicle as recited in claim 35, the web  
23 server further operable to configure one or more of the vehicle systems using  
24 vehicle system configuration data received from a remote client.  
25

1  
2 44. (previously presented): A vehicle as recited in claim 35, wherein the  
3 web server further comprises an encryption module operable to encrypt the  
4 browsable network document.  
5

6 Claims 45-57 (cancelled).  
7

8  
9 58. (new): A computer-readable medium having stored thereon  
10 computer-executable instructions for performing a computer process comprising:  
11 generating from a vehicle-based network server a browsable network  
12 document including vehicle system data from one or more vehicle systems;  
13 providing the browsable network document over a network to enable  
14 remote viewing of the vehicle system data.  
15

16  
17 59. (new): A computer-readable medium as recited in claim 58 further  
18 comprising collecting vehicle system data from one or more independent vehicle  
19 systems in a vehicle, each of the independent vehicle systems generating a distinct  
20 type of vehicle system data.  
21

22 60. (new): A computer-readable medium as recited in claim 58 further  
23 comprising transmitting the network document over a network.  
24  
25

1           61.   (new): A computer-readable medium as recited in claim 58 further  
2 comprising receiving a network request for the vehicle system data.

3  
4           62.   (new): A computer-readable medium as recited in claim 58 further  
5 comprising relating vehicle system data from a first independent vehicle system to  
6 vehicle system data from a second independent vehicle system, each of the first  
7 independent vehicle system and the second independent vehicle system generating  
8 distinct vehicle system data.

9  
10  
11          63.   (new): A computer-readable medium as recited in claim 58 further  
12 comprising displaying a web page based on the browsable network document.

13  
14          64.   (new): A computer-readable medium as recited in claim 58 wherein  
15 the generating step comprises generating a network document having an  
16 embedded object.

17  
18  
19          65.   (new): A computer-readable medium as recited in claim 58 wherein  
20 the generating step comprises populating a mark-up language document with the  
21 vehicle system data.

22  
23          66.   (new): A computer-readable medium as recited in claim 58 wherein  
24 the generating step comprises creating an active server pages web page.  
25

1  
2 67. (new): A computer-readable medium as recited in claim 59 wherein  
3 the collecting operation comprises gathering vehicle system data from at least one  
4 of an on-board diagnostic (OBD) system, a global positioning system (GPS), a  
5 vehicle video system, a vehicle security system, and an obstacle detection system.  
6

7  
8 68. (new): A computer-readable medium as recited in claim 67 further  
9 comprising using the OBD system data and the GPS data to generate a map  
10 including a mark at a geographic location where an OBD event occurred.  
11

12 69. (new): A computer-readable medium as recited in claim 58 further  
13 comprising receiving vehicle system configuration information to configure one or  
14 more of the vehicle systems.  
15

16  
17 70. (new): A computer-readable medium as recited in claim 70 wherein  
18 the receiving operation comprises receiving at least one of vehicle user profile  
19 data, media data, vehicle diagnostics data, map data, and geographic information  
20 system data.  
21

22 71. (new): A computer-readable medium as recited in claim 70 wherein  
23 the receiving operation comprises receiving the vehicle system configuration  
24 information from a remote client.  
25



1  
2 72. (new): A computer-readable medium as recited in claim 70 further  
3 comprising storing the vehicle system data in a relational database.  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25